ELSEVIER

Discrete Mathematics 260 (2003) 333–348

DISCRETE MATHEMATICS

www.elsevier.com/locate/disc

Master index to volumes 251–260

Abel, R.J.R. and A.M. Assaf, Modified group divisible designs with block size 5 and $\lambda = 1$	256	(2002)	1– 22
Abel, R.J.R., F.E. Bennett, G. Ge and L. Zhu, Existence of Steiner seven-cycle systems	252	(2002)	1– 16
Abramov, S.A. and H.Q. Le, A criterion for the applicability of Zeilberger's algorithm to rational functions	259	(2002)	1– 17
Adhikari, S.D. and Y.-G. Chen, On a question regarding visibility of lattice points—III (*Note*)	259	(2002)	251–256
Alon, N., J. Balogh, B. Bollobás and T. Szabó, Game domination number	256	(2002)	23– 33
Alon, N., Covering a hypergraph of subgraphs	257	(2002)	249–254
Alon, N., T. Bohman, R. Holzman and D.J. Kleitman, On partitions of discrete boxes	257	(2002)	255–258
Alspach, B. and M. Mishna, Enumeration of Cayley graphs and digraphs	256	(2002)	527–539
Ando, K. and Y. Egawa, Maximum number of edges in a critically k-connected graph	260	(2003)	1– 25
Ando, K., see T. Kojima	252	(2002)	227–235
Arquès, D. and A. Micheli, Enumeration of multi-colored rooted maps	256	(2002)	541–556
Assaf, A.M., see R.J.R. Abel	256	(2002)	1– 22
Atkinson, M.D. and T. Stitt, Restricted permutations and the wreath product	259	(2002)	19– 36
Autebert, J.-M., M. Latapy and S.R. Schwer, Le treillis des chemins de Delannoy	258	(2002)	225–234
Aval , J.-C., On certain spaces of lattice diagram determinants	256	(2002)	557–575
Bacsó, G. and O. Favaron, Independence, irredundance, degrees and chromatic number in graphs (*Note*)	259	(2002)	257–262
Bader, L. and M.J. de Resmini, On some Kantor flocks	255	(2002)	3– 6
Baker, R.D., A. Bonisoli, A. Cossidente and G.L. Ebert, Cap partitions of the Segre variety $\mathscr{S}_{1,3}$	255	(2002)	7– 12
Balbuena, C., I. Pelayo and J. Gómez, On the superconnectivity of generalized p-cycles	255	(2002)	13– 23
Balister, P.N., B. Bollobás and R.H. Schelp, Vertex distinguishing colorings of graphs with $\Delta(G) = 2$	252	(2002)	17– 29
Balogh, J. and A. Pluhár, The interval number of dense graphs	256	(2002)	423–429
Balogh, J., see N. Alon	256	(2002)	23– 33
Barefoot , C., Block-cutvertex trees and block-cutvertex partitions	256	(2002)	35– 54
Barletta, E. and S. Dragomir, Combinatorial PDEs on Hamming graphs	254	(2002)	1– 18
Bayer, M.M. and G. Hetyei, Generalizations of Eulerian partially ordered sets, flag numbers, and the Möbius function	256	(2002)	577–593
Beineke, L.W., O. R. Oellermann and R. E. Pippert, The average connectivity of a graph	252	(2002)	31– 45
Bennett, F.E., see R.J.R. Abel	252	(2002)	1– 16
Berend, D. and N. Kriger, On some questions of Razpet regarding binomial coefficients (*Note*)	260	(2003)	177–182
Berger, A.J., Minimal reducible bounds in the lattice of additive hereditary graph properties	251	(2002)	3– 10

0012-365X/03/$ - see front matter
PII: S0012-365X(02)00784-7

Berger, A.J., I. Broere, S.J.T. Moagi and P. Mihók, Meet- and join-irreducibility of additive hereditary properties of graphs 251 (2002) 11– 18
Berman, A. and X.-D. Zhang, Bipartite density of cubic graphs 260 (2003) 27– 35
Bey, C., K. Engel, G.O.H. Katona and U. Leck, On the average size of sets in intersecting Sperner families 257 (2002) 259–266
Beygelzimer, A. and S. Radziszowski, On halving line arrangements 257 (2002) 267–283
Bezrukov, S.L. and O. Serra, A local–global principle for vertex-isoperimetric problems 257 (2002) 285–309
Biedl, T.C., E. Čenek, T.M. Chan, E.D. Demaine, M.L. Demaine, R. Fleischer and M.-W. Wang, Balanced k-colorings 254 (2002) 19– 32
Biggs, N., Equimodular curves 259 (2002) 37– 57
Bohman, T. and R.R. Martin, A note on G-intersecting families (*Note*) 260 (2003) 183–188
Bohman, T., see N. Alon 257 (2002) 255–258
Bollobás, B., see P.N. Balister 252 (2002) 17– 29
Bollobás, B., see N. Alon 256 (2002) 23– 33
Bonisoli, A., see R.D. Baker 255 (2002) 7– 12
Bonsma, P., N. Ueffing and L. Volkmann, Edge-cuts leaving components of order at least three 256 (2002) 431–439
Borgne, Y.L. and D. Rossin, On the identity of the sandpile group 256 (2002) 775–790
Borowiecki, M. and E. Sidorowicz, Some extremal problems of graphs with local constraints 251 (2002) 19– 32
Bousquet-Mélou, M. and A. Rechnitzer, Lattice animals and heaps of dimers 258 (2002) 235–274
Boyle, J.A., Thresholds for random distributions on graph sequences with applications to pebbling 259 (2002) 59– 69
Brändén, P., A. Claesson and E. Steingrímsson, Catalan continued fractions and increasing subsequences in permutations 258 (2002) 275–287
Brandt, S., A 4-colour problem for dense triangle-free graphs 251 (2002) 33– 46
Brightwell, G.R. and W.T. Trotter, A combinatorial approach to correlation inequalities 257 (2002) 311–327
Brinkmann, G., see S. Klavžar 253 (2002) 35– 43
Broere, I., see A.J. Berger 251 (2002) 11– 18
Broersma, H.J., On some intriguing problems in hamiltonian graph theory—a survey 251 (2002) 47– 69
Brouns, L., J.A. Thas and H. Van Maldeghem, m-Clouds in generalized hexagons 255 (2002) 25– 33
Brousek, J., Forbidden triples for hamiltonicity 251 (2002) 71– 76
Brousek, J., R.J. Faudree and Z. Ryjáček, A note on hamiltonicity of generalized net-free graphs of large diameter 251 (2002) 77– 85
Brunetti, S., A. Del Lungo and F. Del Ristoro, A cycle lemma for permutation inversions 257 (2002) 1– 13
Bryant, D.E. and H.-L. Fu, C_4-saturated bipartite graphs (*Note*) 259 (2002) 263–268
Buckley, F., see H.B. Walikar 259 (2002) 211–225
Buskell, P., see B. Stevens 258 (2002) 193–204

Cara, P. and D. Leemans, The residually weakly primitive geometries of $S_5 \times 2$ 255 (2002) 35– 45
Carlson, T.A., The edge-isoperimetric problem for discrete tori 254 (2002) 33– 49
Castellana, V.E. and M.E. Raines, Embedding extended Mendelsohn triple systems 252 (2002) 47– 55
Cavenagh, N.J., Further decompositions of complete tripartite graphs into 5-cycles 256 (2002) 55– 81
Čenek, E., see T.C. Biedl 254 (2002) 19– 32
Cerroni, C., Divisible designs from semifield planes 255 (2002) 47– 54
Chan, T.M., see T.C. Biedl 254 (2002) 19– 32
Chang, G.J., L.-D. Tong, J.-H. Yan and H.-G. Yeh, A note on the Gallai–Roy–Vitaver Theorem 256 (2002) 441–444

Chappell, G.G., Polyunsaturated posets and graphs and the Greene–Kleitman theorem 257 (2002) 329–340
Chen, B.-L. and K.-C. Huang, On the linear k-arboricity of K_n and $K_{n,n}$ 254 (2002) 51– 61
Chen, D.-L., see W.C. Shiu 252 (2002) 259–266
Chen, D.-L., see S.-D. Wang 256 (2002) 397–405
Chen, W., see Y. Luo 260 (2003) 101–117
Chen, Y.-G., see S.D. Adhikari 259 (2002) 251–256
Cheng, H.L., see W.C. Shiu 253 (2002) 63– 76
Chiricota, Y., Application des fonctions symétriques à la résolutiond'équations différentielles autonomes combinatoires 259 (2002) 71– 90
Chlebíková, J., Partial k-trees with maximum chromatic number (*Note*) 259 (2002) 269–276
Cho, H.H., S.-R. Kim and J.R. Lundgren, Domination graphs of regular tournaments 252 (2002) 57– 71
Chung, F. and R.B. Ellis, A chip-firing game and Dirichlet eigenvalues 257 (2002) 341–355
Chvátal, V., I. Rusu and R. Sritharan, Dirac-type characterizations of graphs without long chordless cycles 256 (2002) 445–448
Cieslik, D., The Steiner ratio of several discrete metric spaces (*Note*) 260 (2003) 189–196
Claesson, A., see P. Brändén 258 (2002) 275–287
Clarke, B., Towards the inverse of a word 256 (2002) 595–607
Cockayne, E.J., M.A. Henning and C.M. Mynhardt, Vertices contained in all or in no minimum total dominating set of a tree 260 (2003) 37– 44
Copeland, A., F. Schmidt and R. Simion, On two determinants with interesting factorizations 256 (2002) 449–458
Corbas, B. and G.D. Williams, Congruence classes in $M_3(\mathbf{F}_q)$ (q even) 257 (2002) 15– 27
Cori, R. and D. Poulalhon, Enumeration of (p, q)—parking functions 256 (2002) 609–623
Corteel, S. and D. Gouyou-Beauchamps, Enumeration of sand piles 256 (2002) 625–643
Cortés, C., C. Grima, A. Marquez and A. Nakamoto, Diagonal flips in outer-triangulations on closed surfaces 254 (2002) 63– 74
Cossidente, A., see R.D. Baker 255 (2002) 7– 12
Costa, S.I.R., see M. Muniz 260 (2003) 119–136
Coulson, D., A 15-colouring of 3-space omitting distance one 256 (2002) 83– 90
Cowen, L.J., J.R. Griggs and D.B. West, Foreword 257 (2002) 191–192
Craigen, R., W. Holzmann and H. Kharaghani, Complex Golay sequences: structure and applications 252 (2002) 73– 89
Currie, J.D., No iterated morphism generates any Arshon sequence of odd order (*Note*) 259 (2002) 277–283
Cusick, T.W. and P. Stănică, Fast evaluation, weights and nonlinearity of rotation-symmetric functions 258 (2002) 289–301
Czygrinow, A. and H.A. Kierstead, 2-factors in dense bipartite graphs 257 (2002) 357–369

Dai, Z., see S. Jiang 252 (2002) 161–178
Dalan, D.B., Type I neighbors of extremal type II codes of length 40 derived from Hadamard matrices (*Note*) 259 (2002) 285–291
Dedó, E., D. Torri and N.Z. Salvi, The observability of the Fibonacci and the Lucas cubes 255 (2002) 55– 63
de-los-Cobos-Silva, S., see B.R. Pérez-Salvador 256 (2002) 361–372
Del Lungo, A., see S. Brunetti 257 (2002) 1– 13
Del Ristoro, F., see S. Brunetti 257 (2002) 1– 13
Delorme, C., O. Favaron and D. Rautenbach, On the Randić index 257 (2002) 29– 38
Delorme, C., O. Favaron and D. Rautenbach, On the reconstruction of the degree sequence (*Note*) 259 (2002) 293–300
Demaine, E.D., see T.C. Biedl 254 (2002) 19– 32
Demaine, M.L., see T.C. Biedl 254 (2002) 19– 32
Deutsch, E. and L.W. Shapiro, A bijection between ordered trees and 2-Motzkin paths and its many consequences 256 (2002) 655–670
Deutsch, E. and M. Noy, Statistics on non-crossing trees 254 (2002) 75– 87

Deutsch, E., S. Feretić and M. Noy, Diagonally convex directed polyominoes and even trees: a bijection and related issues 256 (2002) 645–654
Ding, G., On interval clutters 254 (2002) 89–102
Diwan, A.A. and M.P. Kurhekar, Plane triangulations are 6-partitionable 256 (2002) 91–103
Dobrynin, A.A., L.S. Melnikov and A.V. Pyatkin, On 4-chromatic edge-critical regular graphs of high connectivity 260 (2003) 315–319
Domke, G.S., J.H. Hattingh, L.R. Markus and E. Ungerer, On parameters related to strong and weak domination in graphs 258 (2002) 1– 11
Donati, G., On the system of fixed points of a collineation in noncommutative projective geometry 255 (2002) 65– 70
Dong, F.M., K.L. Teo, C.H.C. Little and M.D. Hendy, Chromaticity of some families of dense graphs 258 (2002) 303–321
Dragomir, S., see E. Barletta 254 (2002) 1– 18
Drápal, A., Yet another approach to the extended ternary Golay code 256 (2002) 459–464
Du, B. and J. Wang, $K_{1,k}$-factorization of complete bipartite graphs (*Note*) 259 (2002) 301–306
Du, D.-Z., see S.-X. Gao 253 (2002) 19– 34
Du, D.-Z., D.F. Hsu, H.Q. Ngo and G.W. Peck, On connectivity of consecutive-d digraphs 257 (2002) 371–384
Dukes , P., On opposite orthogonal Steiner triple systems of non-prime-power order (*Note*) 252 (2002) 215–218
Dulucq, S. and J.-G. Penaud, Interprétation bijective d'une récurrence des nombres de Motzkin 256 (2002) 671–676
Durante, N., Finite linear spaces with $b - v \in \{M, M + 1\}$ 255 (2002) 71– 80

Ebert, G.L., see R.D. Baker 255 (2002) 7– 12
Ecimovic, P., see B. Stevens 258 (2002) 193–204
Egawa, Y., see K. Ando 260 (2003) 1– 25
Eisfeld, J., On sets of n-dimensional subspaces of projective spaces intersecting mutually in an $(n - 2)$-dimensional subspace 255 (2002) 81– 85
Ellis, R.B., see F. Chung 257 (2002) 341–355
Elzobi, M. and Z. Lonc, Partitioning Boolean lattices into antichains 260 (2003) 45– 55
Engel, K., see C. Bey 257 (2002) 259–266
Enomoto, H. and T. Nakamigawa, On the decomposition dimension of trees (*Note*) 252 (2002) 219–225
Ernst, M.D., see E.L. Wilmer 257 (2002) 585–598
Exoo, G., A.C.H. Ling, J. P. McSorley, N.C.K. Phillips and W.D. Wallis, Totally magic graphs 254 (2002) 103–113

Fabrici, I., On vertex-degree restricted subgraphs in polyhedral graphs 256 (2002) 105–114
Fallat, S.M., S. Kirkland and S. Pati, Minimizing algebraic connectivity over connected graphs with fixed girth 254 (2002) 115–142
Fan , G. and B. Xu, Hajós' conjecture and projective graphs 252 (2002) 91–101
Fan, S., Retractions of split graphs and End-orthodox split graphs (*Note*) 257 (2002) 161–164
Faudree, R.J., see J. Brousek 251 (2002) 77– 85
Favaron, O., T.W. Haynes, S.T. Hedetniemi, M.A. Henning and D.J. Knisley, Total irredundance in graphs 256 (2002) 115–127
Favaron, O., see C. Delorme 257 (2002) 29– 38
Favaron, O., see G. Bacsó 259 (2002) 257–262
Favaron, O., see C. Delorme 259 (2002) 293–300
Feretić, S., see E. Deutsch 256 (2002) 645–654
Fiedler, F., M.H. Klin and M. Muzychuk, Small vertex-transitive directed strongly regular graphs 255 (2002) 87–115
Fischermann , M., D. Rautenbach and L. Volkmann, Remarks on the bondage number of planar graphs 260 (2003) 57– 67

Fischermann, M., D. Rautenbach and L. Volkmann, Maximum graphs with a unique minimum dominating set (*Note*) 260 (2003) 197–203
Fish, J.M., R. Klimmek and K. Seyffarth, Line graphs of complete multipartite graphs have small cycle double covers 257 (2002) 39– 61
Fishburn, P.C. and W.T. Trotter, Containment orders for similar ellipses with a common center 256 (2002) 129–136
Fishburn, P.C., A remarkable eight-point planar configuration 252 (2002) 103–122
Fitzpatrick, S., G. MacGillivray and D. McCrea, Total domination in complements of graphs containing no $K_{4,4}$ 254 (2002) 143–151
Fleischer, R., see T.C. Biedl 254 (2002) 19– 32
Fleischner, Herbert and Martin Kochol, A note about the dominating circuit conjecture (*Note*) 259 (2002) 307–309
Foldes, S. and P.L. Hammer, Disjunctive and conjunctive representations in finite lattices and convexity spaces 258 (2002) 13– 25
Fonlupt, J. and A. Hadjar, The stable set polytope and some operations on graphs 252 (2002) 123–140
Forge, D., J.L. Ramírez Alfonsín and H. Yeun, Disconnected coverings for oriented matroids via simultaneous mutations (*Note*) 258 (2002) 353–359
Frankl, P. and N. Tokushige, The game of n-times nim (*Note*) 260 (2003) 205–209
Freni, S., Quasiparallel planes in finite planar spaces 255 (2002) 117–124
Frieze, A. and M. Krivelevich, Hamilton cycles in random subgraphs of pseudo-random graphs 256 (2002) 137–150
Fu, F., see Y. Luo 260 (2003) 101–117
Fu, H.-L. and I.-F. Sun, The typenumber of trees 253 (2002) 3– 10
Fu, H.-L. and W.-H. Hu, Ascending subgraph decompositions of regular graphs 253 (2002) 11– 18
Fu, H.-L., see D.E. Bryant 259 (2002) 263–268
Fuji-Hara, R., S. Kageyama, S. Kuriki, Y. Miao and S. Shinohara, Balanced nested designs and balanced arrays 259 (2002) 91–119
Füredi, Z., A. Gyárfás and M. Ruszinkó, On the maximum size of (p, Q)-free families 257 (2002) 385–403

Galeana-Sánchez, H., Kernels in digraphs with covering number at most 3 259 (2002) 121–135
Gao, S.-X., D.-Z. Du, X.-D. Hun and X. Jia, Rivest–Vuillemin conjecture is true for monotone boolean functions with twelve variables 253 (2002) 19– 34
Garsia, A.M. and J. Haglund, A proof of the q, t-Catalan positivity conjecture 256 (2002) 677–717
Ge, G., see R.J.R. Abel 252 (2002) 1– 16
Georges, J.P. and D.W. Mauro, On generalized Petersen graphs labeled with a condition at distance two (*Note*) 259 (2002) 311–318
Gibbons, P.B., see M.D. Kearse 256 (2002) 225–242
Gionfriddo, L., A conjecture of Berge about linear hypergraphs and Steiner systems $S(2, 4, v)$ 255 (2002) 125–133
Giulietti, M., On cyclic k-arcs of Singer type in $PG(2, q)$ 255 (2002) 135–144
Giulietti, M., F. Pambianco, F. Torres and E. Ughi, On large complete arcs: odd case 255 (2002) 145–159
Giuzzi, L. and H. Karzel, Co-Minkowski spaces, their reflection structure and K-loops 255 (2002) 161–179
Gómez, J., see C. Balbuena 255 (2002) 13– 23
Goddard, W., 4-connected maximal planar graphs are 4-ordered 257 (2002) 405–410
Gong, G., see S. Jiang 252 (2002) 161–178
Gorgol, I. and T. Łuczak, On induced Ramsey numbers 251 (2002) 87– 96
Gould, R.J. and F. Pfender, Pancyclicity in claw-free graphs 256 (2002) 151–160
Goulden, I. and A. Yong, Dyck paths and a bijection for multisets of hook numbers 254 (2002) 153–164
Gouyou-Beauchamps, D., see S. Corteel 256 (2002) 625–643
Griggs, J.R., see L.J. Cowen 257 (2002) 191–192

Griggs, J.R., Intersecting families with minimum volume 257 (2002) 411–414
Grima, C., see C. Cortés 254 (2002) 63– 74
Göring, F., On 2-regular subgraphs in polyhedral graphs 251 (2002) 97–102
Guan, Y. and K.L. Williams, Profile minimization on triangulated triangles 260 (2003) 69– 76
Gutiérrez, A., see J.A. Rodríguez 257 (2002) 101–109
Gutiérrez-Ándrade, M.A., see B.R. Pérez-Salvador 256 (2002) 361–372
Gyárfás, A., see Z. Füredi 257 (2002) 385–403
Gyárfás, A., A.E. Kézdy and J. Lehel, A finite basis characterization of α-split colorings 257 (2002) 415–421

Haas, W., Binary and ternary codes of covering radius one: some new lower bounds 256 (2002) 161–178
Hadjar, A., see J. Fonlupt 252 (2002) 123–140
Hadnagy, E. and A. Sonnino, Complete arcs in inversive planes over prime fields 255 (2002) 181–188
Haglund, J., see A.M. Garsia 256 (2002) 677–717
Hahn, G., J. Kratochvíl, J. Širáň and D. Sotteau, On the injective chromatic number of graphs 256 (2002) 179–192
Hahn, G., F. Laviolette, N. Sauer and R.E. Woodrow, On cop-win graphs 258 (2002) 27– 41
Hamburger, P., Doodles and doilies, non-simple symmetric Venn diagrams 257 (2002) 423–439
Hamilton, N., Strongly regular graphs from differences of quadrics 256 (2002) 465–469
Hammer, P.L., see S. Foldes 258 (2002) 13– 25
Hao, J., see S. Wang 260 (2003) 151–161
Harada, M. and P.R.J. Östergård, Self-dual and maximal self-orthogonal codes over $\mathbb{F}_7$ 256 (2002) 471–477
Harant, J., Z. Ryjáček and I. Schiermeyer, Forbidden subgraphs implying the MIN-algorithm gives a maximum independent set 256 (2002) 193–201
Hattingh, J.H., see G.S. Domke 258 (2002) 1– 11
Havlicek, H., A model of the Witt design W_{12} based on quadrics of PG(2,3) 255 (2002) 189–192
Haynes, T.W., see O. Favaron 256 (2002) 115–127
Haynes, T.W., M.A. Henning and L.C. van der Merwe, Total domination supercritical graphs with respect to relative complements (*Note*) 258 (2002) 361–371
Haynes, T.W., M.A. Henning and P.J. Slater, Strong equality of domination parameters in trees 260 (2003) 77– 87
Hazama, F., On the kernels of the incidence matrices of graphs 254 (2002) 165–174
Heden , O., On the reconstruction of perfect codes 256 (2002) 479–485
Hedetniemi, S.T., see O. Favaron 256 (2002) 115–127
Hendy, M.D., see F.M. Dong 258 (2002) 303–321
Henning, M.A., Restricted domination in graphs 254 (2002) 175–189
Henning, M.A., see O. Favaron 256 (2002) 115–127
Henning, M.A., see T.W. Haynes 258 (2002) 361–371
Henning, M.A., see E.J. Cockayne 260 (2003) 37– 44
Henning, M.A., see T.W. Haynes 260 (2003) 77– 87
Hetyei, G., see M.M. Bayer 256 (2002) 577–593
Hexel, E., On light graphs in the family of 4-connected planar graphs 251 (2002) 103–107
Hilton, A.J.W. and H.R. Hind, Non-conformable subgraphs of non-conformable graphs 256 (2002) 203–224
Hind, H.R., see A.J.W. Hilton 256 (2002) 203–224
Hoffmann, A., Regular factors in regular multipartite graphs 258 (2002) 43– 62
Holzman, R., see N. Alon 257 (2002) 255–258
Holzmann, W., see R. Craigen 252 (2002) 73– 89
Hoàng, C.T., On the disc-structure of perfect graphs II. The co-C_4-structure 252 (2002) 141–159
Honkala, I., T. Laihonen and S. Ranto, On strongly identifying codes 254 (2002) 191–205
Horňák, M., see S. Jendrol 251 (2002) 1– 1
Horton, J.D. and W.D. Wallis, Factoring the cartesian product of a cubic graph and a triangle 259 (2002) 137–146

Hsu, D.F., see D.-Z. Du 257 (2002) 371–384
Hsu, L.-H., A note on the ultimate categorical matching in a graph 256 (2002) 487–488
Hu, W.-H., see H.-L. Fu 253 (2002) 11– 18
Huang, K.-C., see B.-L. Chen 254 (2002) 51– 61
Hun, X.-D., see S.-X. Gao 253 (2002) 19– 34
Huybrechts, C., Dimensional dual hyperovals in projective spaces and $c \cdot AG^*$-geometries 255 (2002) 193–223
Hwang, F. and X. Zhu, Preface 253 (2002) 1– 1

Itagi, M.K., see H.B. Walikar 259 (2002) 211–225
Ivanescu, C., see B. Stevens 258 (2002) 193–204

Jain, S.K., see S.R. Nagpaul 254 (2002) 371–392
Jendrol, S. and M. Horňák, Preface 251 (2002) 1– 1
Jensen, T.R., Dense critical and vertex-critical graphs 258 (2002) 63– 84
Jia, X., see S.-X. Gao 253 (2002) 19– 34
Jiang, S., Z. Dai and G. Gong, On interleaved sequences over finite fields 252 (2002) 161–178
Jiang, T., Planar Hamiltonian chordal graphs are cycle extendable 257 (2002) 441–444
Junior, B.M., Connected matroids with a small circumference 259 (2002) 147–161

Kageyama, S., see R. Fuji-Hara 259 (2002) 91–119
Kalikow, L.H., Symmetries in trees and parking functions 256 (2002) 719–741
Kaneko, A. and K. Yoshimoto, On a 2-factor with a specified edge in a graph satisfying the Ore condition 257 (2002) 445–461
Kaneko, A., K.-i. Kawarabayashi, K. Ota and K. Yoshimoto, On a hamiltonian cycle in which specified vertices are not isolated 258 (2002) 85– 91
Kaneko, A., Y. Oda and K. Yoshimoto, On geometric independency trees for points in the plane 258 (2002) 93–104
Kaplan, G., A. Lev and Y. Roditty, Transitive large sets of disjoint decompositions and group sequencings 254 (2002) 207–219
Karzel, H., see L. Giuzzi 255 (2002) 161–179
Karzel, H., S. Pianta and E. Zizioli, K-loops derived from Frobenius groups 255 (2002) 225–234
Kászonyi, L., A pumping lemma for **DLI**-languages 258 (2002) 105–122
Katona, G.O.H., see C. Bey 257 (2002) 259–266
Kawarabayashi, K.-i., A. Nakamoto, Y. Oda, K. Ota, S. Tazawa and M. Watanabe, On separable self-complementary graphs (*Note*) 257 (2002) 165–168
Kawarabayashi, K.-i., see A. Kaneko 258 (2002) 85– 91
Kearse, M.D. and P.B. Gibbons, A new lower bound on upper irredundance in the queens' graph 256 (2002) 225–242
Keijsper, J., A Vizing-type theorem for matching forests (*Note*) 260 (2003) 211–216
Kézdy, A.E., see A. Gyárfás 257 (2002) 415–421
Khalfalah, A., S. Lodha and E. Szemerédi, Tight bound for the density of sequence of integers the sum of no two of which is a perfect square 256 (2002) 243–255
Kharaghani, H., see R. Craigen 252 (2002) 73– 89
Kiechle, H., Frobenius groups with many involutions 255 (2002) 235–247
Kierstead, H.A., see A. Czygrinow 257 (2002) 357–369
Kim, D. and D. Lim, 2-connected and 2-edge-connected Steinhaus graphs 256 (2002) 257–265
Kim, S.-R., see H.H. Cho 252 (2002) 57– 71
Kim, T., On p-adic q-L-functions and sums of powers 252 (2002) 179–187
Kirkland, S., see S.M. Fallat 254 (2002) 115–142
Kitaev, S., Multi-avoidance of generalised patterns 260 (2003) 89–100
Klavžar, S., P. Žigert and G. Brinkmann, Resonance graphs of catacondensed even ring systems are median 253 (2002) 35– 43
Klešč, M., The crossing number of $K_{2,3} \times C_3$ 251 (2002) 109–117
Kleitman, D.J., see N. Alon 257 (2002) 255–258

Klimmek, R., see J.M. Fish 257 (2002) 39– 61
Klin, M.H., see F. Fiedler 255 (2002) 87–115
Knisley, D.J., see O. Favaron 256 (2002) 115–127
Kochol, M., Equivalences between hamiltonicity and flow conjectures, and the sublinear defect property 254 (2002) 221–230
Kochol, Martin, see Herbert Fleischner 259 (2002) 307–309
Kojima, T. and K. Ando, Bandwidth of the cartesian product of two connected graphs (*Note*) 252 (2002) 227–235
Korshunov, A.D. and I. Shmulevich, On the distribution of the number of monotone Boolean functions relative to the number of lower units 257 (2002) 463–479
Kostochka, A.V., Equitable colorings of outerplanar graphs (*Note*) 258 (2002) 373–377
Kouider, M. and A. Marczyk, On pancyclism in hamiltonian graphs 251 (2002) 119–127
Kouider, M. and M. Mahéo, Some bounds for the b-chromatic number of a graph 256 (2002) 267–277
Krasikov, I., A. Lev and B.D. Thatte, Upper bounds on the automorphism group of a graph 256 (2002) 489–493
Kratochvíl, J., see G. Hahn 256 (2002) 179–192
Kreuzer, A., Linear spaces with projective lines 255 (2002) 249–258
Kriger, N., see D. Berend 260 (2003) 177–182
Krivelevich, M., see A. Frieze 256 (2002) 137–150
Ksavrelof, G. and J. Zeng, Nouvelles statistiques de partitions pour les q-nombres de Stirling de seconde espèce 256 (2002) 743–758
Kuich, W., Formal series over sorted algebras 254 (2002) 231–258
Kuijken, L. and H. Van Maldeghem, Fibered geometries 255 (2002) 259–274
Kurhekar, M.P., see A.A. Diwan 256 (2002) 91–103
Kuriki, S., see R. Fuji-Hara 259 (2002) 91–119

Labelle, G. and P. Leroux, Foreword 256 (2002) 523–525
Lagarias, J.C., J.H. Spencer and J.P. Vinson, Counting dyadic equipartitions of the unit square 257 (2002) 481–499
Laihonen, T., see I. Honkala 254 (2002) 191–205
Lalonde, P., q-Enumeration of alternating sign matrices with exactly one -1 256 (2002) 759–773
Lam, P.C.B., see W.C. Shiu 252 (2002) 259–266
Lam, P.C.B., see W.C. Shiu 253 (2002) 63– 76
Lam, P.C.B., see W.C. Shiu 258 (2002) 383–388
Landman, B. and A. Robertson, On generalized van der Waerden triples 256 (2002) 279–290
Larrión, F., V. Neumann-Lara and M.A. Pizaña, Whitney triangulations, local girth and iterated clique graphs 258 (2002) 123–135
Latapy, M., see J.-M. Autebert 258 (2002) 225–234
Lattanzio, J.J., A note on a conjecture of Dirac (*Note*) 258 (2002) 323–330
Laviolette, F., see G. Hahn 258 (2002) 27– 41
Le, H.Q., see S.A. Abramov 259 (2002) 1– 17
Lebrun, P., see P. Valtchev 256 (2002) 801–829
Leck, U., see C. Bey 257 (2002) 259–266
Lee, S., Worst case asymptotics of power-weighted Euclidean functionals 256 (2002) 291–300
Leemans, D., see P. Cara 255 (2002) 35– 45
Lehel, J., see A. Gyárfás 257 (2002) 415–421
Lei, J.-g., On large sets of Kirkman systems with holes 254 (2002) 259–274
Lei, J.-g., On large sets of disjoint Kirkman triple systems 257 (2002) 63– 81
Leroux, P., see G. Labelle 256 (2002) 523–525
Lev, A., see G. Kaplan 254 (2002) 207–219
Lev, A., see I. Krasikov 256 (2002) 489–493
Li, C.H., On isomorphisms of finite Cayley graphs—a survey 256 (2002) 301–334
Li, D., see J. Wu 260 (2003) 163–176
Li, H., see J. Wang 254 (2002) 555–564
Li, H., see W. Tong 260 (2003) 267–273

Li, J., On neighborhood condition for graphs to have $[a, b]$-factors (*Note*)	260	(2003)	217–221
Li, J.-S., see J.-H. Yin	260	(2003)	295–305
Li, N., see C. Ye	259	(2002)	369–381
Li, Q., see M. Wang	258	(2002)	205–214
Li, Q., On weights in duadic abelian codes (*Note*)	260	(2003)	223–230
Li, X., B. Wei, Z. Yu and Y. Zhu, Hamilton cycles in 1-tough triangle-free graphs	254	(2002)	275–287
Li, Y., see W.C. Shiu	258	(2002)	383–388
Lih, K.-W., see W. Weifan	253	(2002)	87– 95
Lim, D., see D. Kim	256	(2002)	257–265
Lin, J., see Y. Yang	252	(2002)	287–292
Ling, A.C.H., see G. Exoo	254	(2002)	103–113
Little, C.H.C., see F.M. Dong	258	(2002)	303–321
Liu, R.-Y., see Y.-l. Peng	258	(2002)	161–177
Liu, Z., see L. Xiong	256	(2002)	407–422
Lodha, S., see A. Khalfalah	256	(2002)	243–255
Logan, M.J., Sperner theory in a difference of Boolean lattices	257	(2002)	501–512
Lonc, Z., see M. Elzobi	260	(2003)	45– 55
Lozin, V.V., Bipartite graphs without a skew star	257	(2002)	83–100
Łuczak, T., see I. Gorgol	251	(2002)	87– 96
Lundgren, J.R., see H.H. Cho	252	(2002)	57– 71
Luo, Y., W. Chen and F. Fu, A new kind of geometric structures determining the chain good weight hierarchies	260	(2003)	101–117
MacGillivray, G., see S. Fitzpatrick	254	(2002)	143–151
Magyar, C. and R.R. Martin, Tripartite version of the Corrádi–Hajnal theorem	254	(2002)	289–308
Mahéo, M., see M. Kouider	256	(2002)	267–277
Malik, A.M., see B. Stevens	258	(2002)	193–204
Mans, B., F. Pappalardi and I. Shparlinski, On the spectral Ádám property for circulant graphs	254	(2002)	309–329
Mao, J., see C. Wang	256	(2002)	519–521
Mao, J., see J. Wu	260	(2003)	163–176
Marczyk, A., see M. Kouider	251	(2002)	119–127
Markus, L.R., see G.S. Domke	258	(2002)	1– 11
Marquez, A., see C. Cortés	254	(2002)	63– 74
Martin, R.R., see C. Magyar	254	(2002)	289–308
Martin, R.R., see T. Bohman	260	(2003)	183–188
Mathon, R. and A.P. Street, Overlarge sets of 2-(11, 5, 2) designs and related configurations	255	(2002)	275–286
Mauro, D.W., see J.P. Georges	259	(2002)	311–318
Mayhew, G.L., Extreme weight classes of de Bruijn sequences	256	(2002)	495–497
McColm, G.L., MSO zero-one laws on random labelled acyclic graphs	254	(2002)	331–347
McCrea, D., see S. Fitzpatrick	254	(2002)	143–151
McKee, T.A., Chordal bipartite, strongly chordal, and strongly chordal bipartite graphs (*Note*)	260	(2003)	231–238
McSorley, J.P., see G. Exoo	254	(2002)	103–113
Melnikov, L.S. and A.V. Pyatkin, Regular integral sum graphs (*Note*)	252	(2002)	237–245
Melnikov, L.S., see A.A. Dobrynin	260	(2003)	315–319
Meng, J., Optimally super-edge-connected transitive graphs (*Note*)	260	(2003)	239–248
Metsch, K. and L. Storme, Partial linear complexes of PG(3, q)	255	(2002)	287–296
Miao, L.-y. and J.-l. Wu, Edge-coloring critical graphs with high degree (*Note*)	257	(2002)	169–172
Miao, Y., see R. Fuji-Hara	259	(2002)	91–119
Micheli , A., see D. Arquès	256	(2002)	541–556
Mihók, P., see A.J. Berger	251	(2002)	11– 18

Milici, S. and G. Quattrocchi, On nesting of G-decompositions of λK_v where G has four nonisolated vertices or less 255 (2002) 297–315
Mishna, M., see B. Alspach 256 (2002) 527–539
Missaoui, R., see P. Valtchev 256 (2002) 801–829
Mizuno, H. and I. Sato, L-functions for images of graph coverings by some operations 256 (2002) 335–347
Moagi, S.J.T., see A.J. Berger 251 (2002) 11– 18
Möller, R.G., Erratum to "Descendants in highly arc transitive digraphs" [Discrete Mathematics 247 (2002) 147–157] 260 (2003) 321–321
Molloy, M. and L. Sedgwick, Isomorphism certificates for undirected graphs 256 (2002) 349–359
Morgana, M.A. and H.M. Mulder, The induced path convexity, betweenness, and svelte graphs 254 (2002) 349–370
Mubayi, D. and D.B. West, On restricted edge-colorings of bicliques 257 (2002) 513–529
Mulder, H.M., see M.A. Morgana 254 (2002) 349–370
Munarini, E. and N.Z. Salvi, Structural and enumerative properties of the Fibonacci cubes 255 (2002) 317–324
Munarini, E. and N.Z. Salvi, On the rank polynomial of the lattice of order ideals of fences and crowns 259 (2002) 163–177
Muniz, M. and S.I.R. Costa, Labelings of Lee and Hamming spaces 260 (2003) 119–136
Muzychuk, M., see F. Fiedler 255 (2002) 87–115
Mynhardt, C.M., see E.J. Cockayne 260 (2003) 37– 44

Nagpaul, S.R. and S.K. Jain, Columns of uniform color in a rectangular array with rows having cyclically repeated color patterns 254 (2002) 371–392
Nakamigawa, T., see H. Enomoto 252 (2002) 219–225
Nakamoto, A., see C. Cortés 254 (2002) 63– 74
Nakamoto, A., see K.-i. Kawarabayashi 257 (2002) 165–168
Napolitano, V., On finite weakly $\{s, t\}$-semiaffine linear spaces 255 (2002) 325–341
Nechushtan, O., On the space chromatic number 256 (2002) 499–507
Nedela, R., M. Škoviera and A. Zlatoš, Regular embeddings of complete bipartite graphs (*Note*) 258 (2002) 379–381
Neumann-Lara, V., see F. Larrión 258 (2002) 123–135
Ngo, H.Q., see D.-Z. Du 257 (2002) 371–384
Nishimura, T., A closure concept in factor-critical graphs (*Note*) 259 (2002) 319–324
Noy, M., see E. Deutsch 254 (2002) 75– 87
Noy, M., see E. Deutsch 256 (2002) 645–654

Oda, Y., see K.-i. Kawarabayashi 257 (2002) 165–168
Oda, Y., see A. Kaneko 258 (2002) 93–104
Oellermann, O.R., see L. W. Beineke 252 (2002) 31– 45
Östergård, P.R.J., see M. Harada 256 (2002) 471–477
Ota, K., see K.-i. Kawarabayashi 257 (2002) 165–168
Ota, K., see A. Kaneko 258 (2002) 85– 91

Pambianco, F., see M. Giulietti 255 (2002) 145–159
Pan, Z. and X. Zhu, Tight relation between the circular chromatic number and the girth of series-parallel graphs 254 (2002) 393–404
Pang, S.-C., see S.-D. Wang 256 (2002) 397–405
Pappalardi, F., see B. Mans 254 (2002) 309–329
Parfenoff, I., F. Roussel and I. Rusu, Loose vertices in C_4-free Berge graphs 258 (2002) 137–160
Pati, S., see S.M. Fallat 254 (2002) 115–142
Peck, G.W., Kleitman and Combinatorics: A Celebration 257 (2002) 193–224
Peck, G.W., see D.-Z. Du 257 (2002) 371–384
Pelayo, I., see C. Balbuena 255 (2002) 13– 23
Penaud, J.-G., see S. Dulucq 256 (2002) 671–676
Penaud, J.G. and O. Roques, Tirage à pile ou face de mots de Fibonacci 256 (2002) 791–800

Peng, Y.-l. and R.-Y. Liu, Chromaticity of a family of K_4-homeomorphs	258	(2002)	161–177
Pérez-Salvador, B.R., S. de-los-Cobos-Silva, M.A. Gutiérrez-Ándrade and A. Torres-Chazaro, A reduced formula for the precise number of (0,1)-matrices in $\mathscr{A}(\mathbf{R},\mathbf{S})$	256	(2002)	361–372
Peterson, D. and D.R. Woodall, Erratum to "Edge-choosability in line-perfect multigraphs" [Discrete Mathematics 202 (1999) 191]	260	(2003)	323–326
Pfender, F., see R.J. Gould	256	(2002)	151–160
Phillips, N.C.K., see G. Exoo	254	(2002)	103–113
Pianta, S., see H. Karzel	255	(2002)	225–234
Pinneri, I., Searching for semifield flocks	259	(2002)	179–188
Pippenger, N., Galois theory for minors of finite functions	254	(2002)	405–419
Pippert, R.E., see L. W. Beineke	252	(2002)	31– 45
Pitteloud, P., Log-concavity and compressed ideals in certain Macaulay posets	254	(2002)	421–432
Pizaña, M.A., see F. Larrión	258	(2002)	123–135
Pluhár, A., see J. Balogh	256	(2002)	423–429
Podbrdský, P., A bijective proof of an identity for noncrossing graphs (*Note*)	260	(2003)	249–253
Polito, P. and O. Polverino, On linear blocking sets in $PG(2,q^t)$	255	(2002)	343–348
Polster, B., Centering small generalized polygons–projective pottery at work	256	(2002)	373–386
Polverino, O., see P. Polito	255	(2002)	343–348
Poulalhon, D. and G. Schaeffer, Factorizations of large cycles in the symmetric group	254	(2002)	433–458
Poulalhon, D., see R. Cori	256	(2002)	609–623
Prodinger, H., Combinatorics of geometrically distributed random variables: value and position of large left-to-right maxima	254	(2002)	459–471
Prömel, H.J., T. Schickinger and A. Steger, A note on triangle-free and bipartite graphs	257	(2002)	531–540
Pruchnewski, A., On the domination number of a graph	251	(2002)	129–136
Pyatkin, A.V., see L.S. Melnikov	252	(2002)	237–245
Pyatkin, A.V., see A.A. Dobrynin	260	(2003)	315–319
Quattrocchi, G., see S. Milici	255	(2002)	297–315
Quattrocchi, G., Embedding path designs in 4-cycle systems	255	(2002)	349–356
Radziszowski, S., see A. Beygelzimer	257	(2002)	267–283
Raines, M.E., see V.E. Castellana	252	(2002)	47– 55
Ramírez Alfonsín, J.L. and D. Romero, Embeddability of the combinohedron	254	(2002)	473–483
Ramírez Alfonsín, J.L., see D. Forge	258	(2002)	353–359
Randerath, B., I. Schiermeyer and M. Tewes, Three-colourability and forbidden subgraphs. II: polynomial algorithms	251	(2002)	137–153
Ranto, S., see I. Honkala	254	(2002)	191–205
Rautenbach , D., see M. Fischermann	260	(2003)	57– 67
Rautenbach, D. and E. Triesch, Reconstruction up to isometries (*Note*)	259	(2002)	331–336
Rautenbach, D. and L. Volkmann, Independent domination and matchings in graphs (*Note*)	259	(2002)	325–330
Rautenbach, D., see C. Delorme	257	(2002)	29– 38
Rautenbach, D., see C. Delorme	259	(2002)	293–300
Rautenbach, D., see M. Fischermann	260	(2003)	197–203
Rechnitzer, A., see M. Bousquet-Mélou	258	(2002)	235–274
Recski, A., Two matroidal families on the edge set of a graph	251	(2002)	155–162
Reimer, D., The Ramsey size number of dipaths (*Note*)	257	(2002)	173–175
Ren, H., On the chromaticity of K_4 homeomorphs (*Note*)	252	(2002)	247–257
Rigo, M., Construction of regular languages and recognizability of polynomials	254	(2002)	485–496
Rizzi, R., Minimum T-cuts and optimal T-pairings (*Note*)	257	(2002)	177–181
Rizzi, R., Cycle cover property and CPP = SCC property are not equivalent (*Note*)	259	(2002)	337–342

Robertson, A., see B. Landman 256 (2002) 279–290
Roditty, Y., see G. Kaplan 254 (2002) 207–219
Rodríguez, J.A., A. Gutiérrez and J.L.A. Yebra, On spectral bounds for cutsets 257 (2002) 101–109
Romero, D., see J.L. Ramírez Alfonsín 254 (2002) 473–483
Roques , O., see J.G. Penaud 256 (2002) 791–800
Rossin, D., see Y.L. Borgne 256 (2002) 775–790
Roussel, F., see I. Parfenoff 258 (2002) 137–160
Rusu, I., see V. Chvátal 256 (2002) 445–448
Rusu, I., see I. Parfenoff 258 (2002) 137–160
Ruszinkó, M., see Z. Füredi 257 (2002) 385–403
Ryjáček, Z., see J. Brousek 251 (2002) 77– 85
Ryjáček, Z., see J. Harant 256 (2002) 193–201

Saks, M., Kleitman and combinatorics 257 (2002) 225–247
Salvi, N.Z., see E. Munarini 259 (2002) 163–177
Sanchis, L.A., On the number of edges in graphs with a given weakly connected domination number 257 (2002) 111–124
Santos, J.P.O. and A.V. Sills, q-Pell sequences and two identities of V.A. Lebesgue 257 (2002) 125–142
Santos, J.P.O., On the combinatorics of polynomial generalizations of Rogers–Ramanujan-type identities 254 (2002) 497–511
Sato, I., see H. Mizuno 256 (2002) 335–347
Sauer, N., see G. Hahn 258 (2002) 27– 41
Sauer, N.W., A Ramsey theorem for countable homogeneous directed graphs 253 (2002) 45– 61
Savu, A., see B. Stevens 258 (2002) 193–204
Schaeffer, G., see D. Poulalhon 254 (2002) 433–458
Schelp, R.H., see P.N. Balister 252 (2002) 17– 29
Schickinger, T., see H.J. Prömel 257 (2002) 531–540
Schiermeyer, I., see B. Randerath 251 (2002) 137–153
Schiermeyer, I., see J. Harant 256 (2002) 193–201
Schmidt, F., see A. Copeland 256 (2002) 449–458
Schulman, L.J., A random stacking process 257 (2002) 541–547
Schwer, S.R., see J.-M. Autebert 258 (2002) 225–234
Sedgwick, L., see M. Molloy 256 (2002) 349–359
Selvaraju, P., see G. Sethuraman 259 (2002) 343–350
Selvaraju, P., see G. Sethuraman 260 (2003) 137–149
Serra, O., see S.L. Bezrukov 257 (2002) 285–309
Sethuraman, G. and P. Selvaraju, One edge union of shell graphs and one vertex union of complete bipartite graphs are cordial (*Note*) 259 (2002) 343–350
Sethuraman, G. and P. Selvaraju, Decompositions of complete graphs and complete bipartite graphs into isomorphic supersubdivision graphs 260 (2003) 137–149
Seyffarth, K., see J.M. Fish 257 (2002) 39– 61
Shafir, O., Universal graphs without large bipartite graphs assuming GCH 256 (2002) 509–512
Shapiro, L.W., see E. Deutsch 256 (2002) 655–670
Sheehan, J., Minimum multiplicities of subgraphs and Hamiltonian cycles 255 (2002) 357–366
Shen, H. and J. Shen, Existence of resolvable group divisible designs with block size four I 254 (2002) 513–525
Shen, J., see H. Shen 254 (2002) 513–525
Shinohara, S., see R. Fuji-Hara 259 (2002) 91–119
Shiu, W.C., P.C.B. Lam and D.-L. Chen, On incidence coloring for some cubic graphs (*Note*) 252 (2002) 259–266
Shiu, W.C., P.C.B. Lam and H.L. Cheng, Edge-gracefulness of the composition of paths with null graphs 253 (2002) 63– 76
Shiu, W.C., P.C.B. Lam and Y. Li, On generalized Ramsey numbers (*Note*) 258 (2002) 383–388
Shmulevich, I., see A.D. Korshunov 257 (2002) 463–479

Shparlinski, I., see B. Mans 254 (2002) 309–329
Sidorowicz, E., see M. Borowiecki 251 (2002) 19– 32
Sills, A.V., see J.P.O. Santos 257 (2002) 125–142
Silva, P.V., The homomorphism problem for the free monoid 259 (2002) 189–200
Simion, R., see A. Copeland 256 (2002) 449–458
Širáň, J., see G. Hahn 256 (2002) 179–192
Siu, M.-K., Z. Zhang and S. Zhou, An inequality between the diameter and the inverse dual degree of a tree (*Note*) 259 (2002) 351–358
Škoviera, M., see R. Nedela 258 (2002) 379–381
Skupień, Z., Hamiltonicity of planar cubic multigraphs 251 (2002) 163–168
Slater, P.J., see T.W. Haynes 260 (2003) 77– 87
Sonnino, A., see E. Hadnagy 255 (2002) 181–188
Sotteau, D., see G. Hahn 256 (2002) 179–192
Spencer, J.H., see J.C. Lagarias 257 (2002) 481–499
Sritharan, R., see V. Chvátal 256 (2002) 445–448
Stadler, J.D., Juggling and vector compositions 258 (2002) 179–191
Stanchescu, Y.V., Planar sets containing no three collinear points and non-averaging sets of integers 256 (2002) 387–395
Steger, A., see H.J. Prömel 257 (2002) 531–540
Steingrímsson, E., see P. Brändén 258 (2002) 275–287
Stevens, B., P. Buskell, P. Ecimovic, C. Ivanescu, A.M. Malik, A. Savu, T.S. Vassilev, H. Verrall, B. Yang and Z. Zhao, Solution of an outstanding conjecture: the non-existence of universal cycles with $k = n - 2$ 258 (2002) 193–204
Stitt, T., see M.D. Atkinson 259 (2002) 19– 36
Stănică, P., see T.W. Cusick 258 (2002) 289–301
Stong, R., Orthogonal Matchings 256 (2002) 513–518
Storme, L., see K. Metsch 255 (2002) 287–296
Street, A.P., see R. Mathon 255 (2002) 275–286
Sun, H.-M., PBIB designs and association schemes obtained from finite rings (*Note*) 252 (2002) 267–277
Sun, I.-F., see H.-L. Fu 253 (2002) 3– 10
Sun, Z.-W., Sums of minima and maxima 257 (2002) 143–159
Swanepoel, K.J., Helly-type theorems for polygonal curves 254 (2002) 527–537
Szabó, T., see N. Alon 256 (2002) 23– 33
Szemerédi, E., see A. Khalfalah 256 (2002) 243–255

Tardif, C. and X. Zhu, On Hedetniemi's conjecture and the colour template scheme 253 (2002) 77– 85
Tazawa, S., see K.-i. Kawarabayashi 257 (2002) 165–168
Teo, K.L., see F.M. Dong 258 (2002) 303–321
Teranishi, Y., Laplacian spectra and invariants of graphs (*Note*) 257 (2002) 183–189
Teranishi, Y., The Hoffman number of a graph (*Note*) 260 (2003) 255–265
Tewes, M., see B. Randerath 251 (2002) 137–153
Thas, J.A., see L. Brouns 255 (2002) 25– 33
Thatte, B.D., see I. Krasikov 256 (2002) 489–493
Thomassen, C., An intersection graph of straight lines (*Note*) 259 (2002) 359–360
Tian, F., see L.-z. Zhang 259 (2002) 227–236
Togasaki, M. and K. Yamazaki, Pagenumber of pathwidth-k graphs and strong pathwidth-k graphs (*Note*) 259 (2002) 361–368
Tokushige, N., see P. Frankl 260 (2003) 205–209
Tomescu, I., On the number of h-connected graphs with a fixed diameter (*Note*) 252 (2002) 279–285
Tonchev, V.D., Error-correcting codes from graphs 257 (2002) 549–557
Tong, L.-D., see G.J. Chang 256 (2002) 441–444
Tong, W. and H. Li, Solvable block transitive automorphism groups of $2-(v, 5, 1)$ designs (*Note*) 260 (2003) 267–273

Topalova, S., Classification of Hadamard matrices of order 44 with automorphisms of order 7 (*Note*)	260	(2003)	275–283
Torres, F., see M. Giulietti	255	(2002)	145–159
Torres-Chazaro, A., see B.R. Pérez-Salvador	256	(2002)	361–372
Torri, D., see E. Dedó	255	(2002)	55– 63
Triesch, E., see D. Rautenbach	259	(2002)	331–336
Trotter, W.T., see P.C. Fishburn	256	(2002)	129–136
Trotter, W.T., see G.R. Brightwell	257	(2002)	311–327
Tuza, Z. and M. Voigt, A note on planar 5-list colouring: non-extendability at distance 4	251	(2002)	169–172
Ueffing, N., see P. Bonsma	256	(2002)	431–439
Ughi, E., see M. Giulietti	255	(2002)	145–159
Ughi, E., Small almost complete arcs	255	(2002)	367–379
Ungerer, E., see G.S. Domke	258	(2002)	1– 11
Vallejo, E., A characterization of additive sets	259	(2002)	201–210
Valtchev, P., R. Missaoui and P. Lebrun, A partition-based approach towards constructing Galois (concept) lattices	256	(2002)	801–829
van der Merwe, L.C., see T.W. Haynes	258	(2002)	361–371
Van Maldeghem, H., see L. Brouns	255	(2002)	25– 33
Van Maldeghem, H., see L. Kuijken	255	(2002)	259–274
Vassilev, T.S., see B. Stevens	258	(2002)	193–204
Verrall, H., see B. Stevens	258	(2002)	193–204
Vinson, J.P., see J.C. Lagarias	257	(2002)	481–499
Voigt, M., see Z. Tuza	251	(2002)	169–172
Volkmann, L. and V.E. Zverovich, A disproof of Henning's conjecture on irredundance perfect graphs	254	(2002)	539–554
Volkmann, L., see P. Bonsma	256	(2002)	431–439
Volkmann, L., Longest paths through an arc in strong semicomplete multipartite digraphs (*Note*)	258	(2002)	331–337
Volkmann, L., see D. Rautenbach	259	(2002)	325–330
Volkmann, L., see M. Fischermann	260	(2003)	57– 67
Volkmann, L., see M. Fischermann	260	(2003)	197–203
Walikar, H.B., F. Buckley and M.K. Itagi, Diameter-essential edges in a graph	259	(2002)	211–225
Wallis, W.D., see G. Exoo	254	(2002)	103–113
Wallis, W.D., see J.D. Horton	259	(2002)	137–146
Wang, C. and J. Mao, A proof of a conjecture of minus domination in graphs	256	(2002)	519–521
Wang, C., Complete latin squares of order p^n exist for odd primes p and $n > 2$	252	(2002)	189–201
Wang, C., see Y. Yang	252	(2002)	287–292
Wang, J. and H. Li, The upper bound of essential cyclomatic numbers of hypergraphs	254	(2002)	555–564
Wang, J., Normalized matching property of the subgroup lattice of an abelian p-group	257	(2002)	559–574
Wang, J., see B. Du	259	(2002)	301–306
Wang, M. and Q. Li, Conditional edge connectivity properties, reliability comparisons and transitivity of graphs	258	(2002)	205–214
Wang, M.-W., see T.C. Biedl	254	(2002)	19– 32
Wang, S. and J. Hao, The extreme set condition of a graph	260	(2003)	151–161
Wang, S.-D., D.-L. Chen and S.-C. Pang, The incidence coloring number of Halin graphs and outerplanar graphs	256	(2002)	397–405
Wang, W. and K.-W. Lih, A new proof of Melnikov's conjecture on the edge-face coloring of plane graphs	253	(2002)	87– 95
Watanabe, M., see K.-i. Kawarabayashi	257	(2002)	165–168

Wei, B. and Y. Zhu, The Chvátal–Erdős condition for panconnectivity of triangle-free graphs 252 (2002) 203–214
Wei, B., see X. Li 254 (2002) 275–287
Wenzel, W., A sufficient condition for a bipartite graph to be a cube (*Note*) 259 (2002) 383–386
Wesp, G., A note on the spectra of certain skew-symmetric $\{1,0,-1\}$-matrices (*Note*) 258 (2002) 339–346
West, D.B., see L.J. Cowen 257 (2002) 191–192
West, D.B., see D. Mubayi 257 (2002) 513–529
Wilf, H.S., The patterns of permutations 257 (2002) 575–583
Williams, G.D., see B. Corbas 257 (2002) 15– 27
Williams, K.L., see Y. Guan 260 (2003) 69– 76
Wilmer, E.L. and M.D. Ernst, Graphs induced by Gray codes 257 (2002) 585–598
Woodall, D.R., Defective choosability results for outerplanar and related graphs 258 (2002) 215–223
Woodall, D.R., see D. Peterson 260 (2003) 323–326
Woodrow, R.E., see G. Hahn 258 (2002) 27– 41
Woźniak, M., On cyclically embeddable $(n, n-1)$-graphs 251 (2002) 173–179
Wu, J., J. Mao and D. Li, New types of integral sum graphs 260 (2003) 163–176
Wu, J.-l., see L.-y. Miao 257 (2002) 169–172

Xiong, L. and Z. Liu, Hamiltonian iterated line graphs 256 (2002) 407–422
Xu, B., see G. Fan 252 (2002) 91–101
Xu, B., Two conjectures equivalent to the perfect graph conjecture (*Note*) 258 (2002) 347–351
Xu, J., see L. Zhao 252 (2002) 293–298

Yamazaki, K., see M. Togasaki 259 (2002) 361–368
Yan, J.-H., see G.J. Chang 256 (2002) 441–444
Yang, B., see B. Stevens 258 (2002) 193–204
Yang, Y., J. Lin and C. Wang, Three forbidden subgraphs for line graphs (*Note*) 252 (2002) 287–292
Ye, C. and N. Li, Graphs with chromatic polynomial $\sum_{l \leqslant m_0} \left(\frac{l}{m_0 - l}\right)(\lambda)_l$ (*Note*) 259 (2002) 369–381
Ye, M., Size of k-uniform hypergraph with diameter d (*Note*) 260 (2003) 285–293
Yebra, J.L.A., see J.A. Rodríguez 257 (2002) 101–109
Yeh, H.-G., d-Disjunct matrices: bounds and Lovász Local Lemma 253 (2002) 97–107
Yeh, H.-G., see G.J. Chang 256 (2002) 441–444
Yeun, H., see D. Forge 258 (2002) 353–359
Yin, J.-H. and J.-S. Li, An extremal problem on potentially $K_{r,s}$-graphic sequences (*Note*) 260 (2003) 295–305
Yong, A., see I. Goulden 254 (2002) 153–164
Yoshimoto, K., see A. Kaneko 257 (2002) 445–461
Yoshimoto, K., see A. Kaneko 258 (2002) 85– 91
Yoshimoto, K., see A. Kaneko 258 (2002) 93–104
Yu, Z., see X. Li 254 (2002) 275–287

Zabrocki, M., q-Analogs of symmetric function operators 256 (2002) 831–853
Zagaglia Salvi, N., see E. Dedó 255 (2002) 55– 63
Zagaglia Salvi, N., see E. Munarini 255 (2002) 317–324
Zanella, C., Intersection sets in AG(n,q) and a characterization of the hyperbolic quadric in PG$(3,q)$ 255 (2002) 381–386
Zeng, J., see G. Ksavrelof 256 (2002) 743–758
Zhang, L.-z. and F. Tian, Independence and connectivity in 3-domination-critical graphs 259 (2002) 227–236
Zhang, S. and L. Zhu, An improved product construction for large sets of Kirkman triple systems (*Note*) 260 (2003) 307–313
Zhang, X., Incomplete perfect Mendelsohn designs with block size four 254 (2002) 565–597

Zhang, X.-D., see A. Berman	260	(2003)	27– 35
Zhang, Z., see M.-K. Siu	259	(2002)	351–358
Zhao, L. and J. Xu, The kissing number of the regular pentagon (*Note*)	252	(2002)	293–298
Zhao, Z., see B. Stevens	258	(2002)	193–204
Zhou, S., see M.-K. Siu	259	(2002)	351–358
Zhu, L., see R.J.R. Abel	252	(2002)	1– 16
Zhu, L., see S. Zhang	260	(2003)	307–313
Zhu, X., see F. Hwang	253	(2002)	1– 1
Zhu, X., see C. Tardif	253	(2002)	77– 85
Zhu, X., see Z. Pan	254	(2002)	393–404
Zhu, Y., see B. Wei	252	(2002)	203–214
Zhu, Y., see X. Li	254	(2002)	275–287
Žigert, P., see S. Klavžar	253	(2002)	35– 43
Zizioli, E., see H. Karzel	255	(2002)	225–234
Zlatoš, A., see R. Nedela	258	(2002)	379–381
Žunić, J., Extremal problems on convex lattice polygons in sense of l_p-metrics	259	(2002)	237–250
Zverovich, V.E., see L. Volkmann	254	(2002)	539–554